


## MANUAL EZ RISE CORDLESS ROMAN SPRING SHADE SYSTEMS





### 1 - CHOOSE YOUR SHADE QUANTITY

Let our in-house experts know how many shades to assemble.

#### 2 - CHOOSE YOUR SHADE WEIGHT & SPRING SIZE

Your shade weight determines spring size. Refer to the chart on page 155 in the 2024 Rowley Catalog.

#### 3 - CHOOSE YOUR BRACKET TYPE

Select Slotted (outside mount) or Wheeled (inside or outside mount).

#### 4 - CHOOSE YOUR LIFTING MATERIAL

Select from Encased Lift Cord Tube or 6" Lift Band.
\*Builds do not include Lift Cord or Lift Band. Remember to order Lift Cord or Lift Band.

#### 5 - CHOOSE YOUR SHADE DIMENSIONS

Check maximum size for shade weight from step 2. Maximum Width is 96". Maximum Length is 96". Minimum Width is 18". Dustboard Size is  $\frac{3}{4}$ " x 2  $\frac{1}{2}$ ".



#### 6 - CHOOSE YOUR LIFTING MATERIAL SPECIFICATIONS

Select the Number of Columns of lifting material on the shade. Indicate the distances between each column. Minimum spacing for Lift Band = 8"; Encased Lift Cord = 7".

#### 7 - CHOOSE YOUR SHADE MOUNTING

Select Front / Standard or Reverse.

# MANUAL EZ RISE CORDLESS ROMAN SPRING SHADE SYSTEM

Encased Lift Cord or 6" Lift Band | BUILDS DO NOT INCLUDE LIFT CORD OR LIFT BAND 12" cords are only included to show the correct routing; Systems are built with 1  $\frac{1}{2}$ " diameter roller tube

REV January 1, 2024

ACCOUNT #

	Company	Conta	ct		Data	
	ompany Conta reet Address					
	City			•		
		Σίατε Σίβ				
	Ship to (if different from above)					
	Street Address					
		,				
PL	EASE COMPLETE ITEMS 1 T	HROUGH 9.	For assistance,	call Customer Service at 800 Email completed form t	.343.4542 or 704.866.0650 to sales@rowleycompany.com	
1	otal number of shades to be made to these specifications (Use another order form for shade with different specifications)					
2	SHADE WEIGHT: Include the weight of the fabric, lining, stiffeners & bottom weights.					
3	SPRING SIZE	NG SIZE  RS18 RS20 RS22 RS24 RS26 RS28  * Please reference the chart on page 155 of the 2024 Rowley Catalog.				
4	TYPE OF BRACKETS	SLOTTED (use for out:	side mount)	WHEELED (use for ins	ide or outside mount)	
5	TYPE OF LIFTING MATERIAL	ENCASED LIFT CORE	) TUBE	6" LIFT BAND		
6	EXACT SHADE DIMENSIONS in inches. We do not make any additional deductions.  We do not accept EZ Rise Roman Spring Shade orders wider than 96" or taller than 96".  Minimum width is 18".  Minimum width is 18".  WIDTH  Dustboard size  3/4" x 2 ½"					
,	NUMBER OF COLUMNS OF LIFTING MATERIAL.  INDICATE THE DISTANCES BETWEEN EACH COLUMN OF LIFTING MATERIAL ON THE SHADE.  Minimum spacing for Lift Band = 8"; Encased Lift Cord = 7". Your headrail will be built according to the measurements you provide on the chart below. Your sketch doesn't have to be to scale, but THE NUMBERS MUST BE ACCURATE to the nearest ½". Draw vertical lines to show the columns of Encased Lift Cord. Be sure to to include every column, including those close to the edges of the headrail. The first two columns are sketched for you. Write the measurements to indicate the distance between each column of Encased Lift Cord and the next. CHECK THAT THESE MEASUREMENTS ADD UP TO THE EXACT SHADE WIDTH IN ITEM 6.					
	$\leftrightarrow$	 			· ->	
<b>←</b>	$2" \rightarrow $ Minimum 2" from the end on ea	ach side.	EXAMPLE	2" 10" 10" 2" = (24" H	Headrail) ← 2" →	
8	SHADE MOUNTING: Shades are typically mounted over the front of the operating system. Indicate if you plan to mount to the back of the operating system by checking the box. No additional charge.  FRONT MOUNT REVERSE MOUNT STANDARD					
9	READ THE TERMS OF SALE on the Custom Solutions Payment Form on page 3, sign and submit along with your signed forms.					
*Builds do not include Lift Cord or Lift Band. Remember to order Lift Cord or Lift Band.						
SHIPPING » Flat Rate Shipping Program Lengths over 8' will ship truck and incur an oversized (2) fee.						
PR	ICING » Rowley® Company		*			
K	Rowley® Company 230 Meek Road / Gastonia / NC Phone » toll-free 800-343-4542 © 2024 Rowley® Company, LLC		Signature of n	ourchaser / cardholder	– — Date	

#### PAYMENT FORM

ACCOUNT#

To place a Custom Solutions Shade System, Drapery Hardware System or Label order, you must complete and sign the Payment Form along with the applicable system build form. You may submit your completed forms via email to Sales@RowleyCompany.com.

For Order Forms, visit RowleyCompany.com/CustomSolutions

( )	i <mark>ng Program</mark> Lengths over 8' wi rnative freight quotes available	ll ship truck and incur an oversized 😩 fee. Splicing options			
SELECT ONE  O VISA  O mastercard  DISCOVER		EXPIRATION DATE			
CREDIT CARD # - LAST 4 DIGITS    SECURITY CODE					
Credit Card Billing Address  (if different than ship to address)	Net 30 account. Account #  The price of the custom build includes all parts, labor and packaging, but				
the receiver is responsible. All orders from confirmation of order with satis		ax where applicable or shipping charges, for which le. All orders will ship within five business days der with satisfactory payment arrangements. R-TEC			
City State Zip	Automation® orders will ship within 10 - 15 business days. For commercial orders, request a quote with timeline. Terms: Net 30 days to pre-approved accounts only or credit card. Prices, design and availability are subject to change or withdrawal without notice.				
Phone					
CIIIdII	Signature of purchaser /	cardholder Date			

#### TERMS OF SALE WARRANTIES BY ROWLEY® COMPANY

Rowley® Company agrees to repair or replace, free of charge, any Custom Solutions Shade or Track System that due to faulty parts or workmanship in the assembled Shade or Track System is returned freight pre-paid to Rowley® Company within ninety (90) days of delivery. The parts in the system are covered by a ten year warranty. These warranties do not cover systems that have been subjected to abuse. The R-TEC Automation® Slim Drapery Motor is covered by a 5 year warranty.

Orders for Custom Solutions Label, Shade or Track Systems are not cancelable and cannot be altered. Custom Solution Label, Shade or Track Systems are not returnable for any reason except warranty repair, as described above. The buyer verifies that all sizes and other specifications are correct. A Custom Solutions Shade or Track System will be custom-built to the size and other specifications written on the system order form. Rowley® Company will repair or replace without charge any Custom Solutions Shade or Track System that is not made correctly to those specifications. THE CUSTOMER WILL BE CHARGED FOR ANY REPAIRS OR REPLACEMENT NECESSITATED BY AN ERROR IN THE MEASUREMENT OR OTHER SPECIFICATIONS.

OWNERSHIP: All selected shipping preferences are F.O.B. shipping point from any Rowley® location; the buyer owns the shipment as soon as it leaves the Rowley® Company loading dock. In the event of damaged shipment, the buyer must accept the shipment and place a claim with the carrier. Prices quoted include all parts, labor and packaging for all Custom Solutions Shade or Track Systems. The buyer is responsible for shipping costs.

