

FABRICATION

Rowley project list: Table Napkins

Table napkins are a fast and easy way to add design layers to a table. They add a pop of color and set off beautiful table cloths, runners and placemats for additional layers that can be quick up-sales for your business. We will only cover the fabrication steps of the table napkins in this project guide.





TABLE NAPKINS - 3 WAYS:STEP-BY-STEP INSTRUCTIONS

The napkins for this project finish at 18" x 18". Three different napkin projects will be shared: A double-sided, banded napkin, a double-sided knife-edge napkin, and a single-layered napkin finished two ways.

Double-Sided, Banded Napkin Cutting and Prepping the Fabric:



Cut the back fabric 22" x 22".

A. You will need one cut per napkin.B. This fabric will fold to the front and make the banding.



Cut the front fabric at 18" x 18".

A. Cutting it slightly smaller is fine as you may end up trimming some off the sides later anyway.

MATERIALS & SUPPLIES

Rowley Products	SKU
Fusible Stabilizer	<u>FB11</u>
Matching Threads	<u>TG1M/</u>
Clear-View Ruler	<u>MR50</u>

Other Materials: Masking Tape



Prepping the Ruler for Mitered Corners:



Tape off the ruler as a template for the mitered corners.

- A. Place one strip of tape parallel with the ruler, 1" down from the top. This will run along the fold.
- B. Place a second strip of tape angled, starting from the 1 1/2" mark and ending at the 3" mark, touching the first piece of tape. This will match the bias edge.
- C. The inside area that is now taped off will match your fabric folds in later steps.



Prepping the Back and Banding Fabric:




Fold the back fabric in half, on a bias, matching cut edges.



6


Place the taped off ruler on a corner, matching fold lines and bias line.

Draw around the corner of the ruler.



Complete the other three corners in the same fashion.









A. For a good miter, it is important to sew ON the lines!



Turn right sides out and press.

A. This should leave a 2" band to the front and four good mitered corners.










Turn the raw edges under themselves to form a double 1" band. Press.





Lay the front fabric piece inside the band, trimming as needed so it lays flat. Pin.









At the machine, sew around napkin securing the two pieces together.



Double-Sided, Knife-Edged Napkin Cutting and Prepping the Fabric:

1


Cut the front and back at 19" x 19" square.


A. You will need one cut out of face fabric and one out of back fabric for each napkin.





With right sides together, sew around all four sides, leaving an opening for turning.






Turn right side out. Press.



Clip off bulk at corners.





Rowley project list: table napkins - 3 ways

FABRICATION



Single Layer Napkin - 2 Ways Cutting and Prepping the Fabric:



Cut fabric 19" x 19" square. You will need one cut per napkin.



Open the sides and fold the fabric under to form a double $\frac{1}{2}$ side hem.

At the machine, top-stitch in a matching thread.



Fold over each side 1". Press.



For a less bulky corner and a more custom look, miter the corners.



Follow Steps 1 and 2 above.

Unfold the sides and start folding in the mitered corner.

- **A.** Fold over the first 1/2" of the corner to the press line.
- B. Fold over the corner again. Hold or pin this in place.
- **C.** Fold the sides in, tucking under the edges to form a double $\frac{1}{2}$ side hem. Press.
- At the machine, top-stitch in a matching thread.



A. This method will leave a slightly bulky, squared corner.







