

## Component Combinations for Automated Roman Shades

R-TEC AUTOMATION<sup>®</sup> LI-ION MOTOR - RTA25L2C1WA - 25 MM - 1.1 NM  
(Max. Shade Size is 84" x 84")

| Item #   | Description   |
|--|---|
| RC58/XX and RTADRK25114 or RTADRK25114/K and RWRC114<br>OR<br>RC60/XX and RTADRK25112 or RTADRK25112/K and RWRC112 | 1 ¼" Aluminum Tube (Max. Shade Weight is 15 ½ lbs.), Drive Set Kit in White or Black, and Tube Clips (5 per pack)<br>1 ½" Aluminum Tube (Max. Shade Weight is 13 lbs.) Drive Set Kit in White or Black, and Tube Clips (5 per pack) |
| RSNB10<br>OR<br>RSB10  | Brackets for Dustboard Depth of 2" or more (Sold as a pair)<br>Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)  |
| RTAWCA & RTACC3MA or RTACC4MA<br>OR<br>RTAWCA & RTAMC3MA/K   | USB Wall Battery Charger and USB/USB C Cable 9.8' or 14' in White<br>OR<br>USB Wall Battery Charger and USB/USB C Cable in Black  |
| RTAEC1MA (4')  | Battery Charger USB Extension Cable, White (Optional)   |
| MT03-0302-067002   | Automate <sup>®</sup> Solar Panel Battery Charger (Optional)  |

R-TEC Automation<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #      | Description  |
|-------------|--|
| RTAWR1CV1W  | LED Wall Mount Remote, 1 Channel, White                        |
| RTAWR2CV1W  | LED Wall Mount Remote, 2 Channel, White                        |
| RTAHRW6CV1W | Handheld Remote with Scroll Wheel Adjustment, 6 Channel, White |
| RTAHR6CV1W  | LED Handheld Remote with Wall Mount, 6 Channel, White          |
| RTAHR16CV1W | LCD Handheld Remote with Wall Mount, 16 Channel, White         |
| BD-1750     | Bond Bridge Pro Wi-Fi Hub, White                               |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.  
Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).  
Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

R-TEC AUTOMATION® LI-ION MOTOR - RTA25L3C1WA - 25 MM - 2 NM  
(Max. Shade Size is 120" x 120")

| Item #   | Description   |
|--|---|
| RC58/XX and RTADRK25114 or RTADRK25114/K and RWRC114<br>OR<br>RC60/XX and RTADRK25112 or RTADRK25112/K and RWRC112 | 1 ¼" Aluminum Tube (Max. Shade Weight is 15 ½ lbs.), Drive Set Kit in White or Black, and Tube Clips (5 per pack)<br>1 ½" Aluminum Tube (Max. Shade Weight is 13 lbs.) Drive Set Kit in White or Black, and Tube Clips (5 per pack) |
| RSNB10<br>OR<br>RSB10  | Brackets for Dustboard Depth of 2" or more (Sold as a pair)<br>Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)  |
| RTAWCA & RTACC3MA or RTACC4MA<br>OR<br>RTAWCA & RTAMC3MA/K   | USB Wall Battery Charger and USB/USB C Cable 9.8' or 14' in White<br>OR<br>USB Wall Battery Charger and USB/USB C Cable in Black  |
| RTAEC1MA (4')  | Battery Charger USB Extension Cable, White (Optional)   |
| MT03-0302-067002   | Automate® Solar Panel Battery Charger (Optional)  |

R-TEC Automation® Control & Integration (Select at least one or any combination)

| Item #      | Description  |
|-------------|--|
| RTAWR1CV1W  | LED Wall Mount Remote, 1 Channel, White                        |
| RTAWR2CV1W  | LED Wall Mount Remote, 2 Channel, White                        |
| RTAHRW6CV1W | Handheld Remote with Scroll Wheel Adjustment, 6 Channel, White |
| RTAHR6CV1W  | LED Handheld Remote with Wall Mount, 6 Channel, White          |
| RTAHR16CV1W | LCD Handheld Remote with Wall Mount, 16 Channel, White         |
| BD-1750     | Bond Bridge Pro Wi-Fi Hub, White                               |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution. Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com). Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

R-TEC AUTOMATION<sup>®</sup> LI-ION MOTOR - RTA28L3C1WA - 28 MM - 2 NM  
(Max. Shade Size is 120" x 120")

| Item #   | Description  |
|--|--|
| RC60/XX and RTADRK28112 or RTADRK28112/K and RWRC112<br>OR<br>RC62/XX and RTADRK28200 or RTADRK28200/K and RWRC200 | 1 ½" Aluminum Tube (Max. Shade Weight is 23 ½ lbs.), Drive Set Kit in White or Black, and Tube Clips (5 per pack)<br>2" Aluminum Tube (Max. Shade Weight is 17 ½ lbs.), Drive Set Kit in White or Black, and Tube Clips (5 per pack) |
| RSB10 or RSNB10 (for 1 ½" tube)<br>OR<br>RSB20 or RSNB20 (for 2" tube)   | Brackets for Dustboard Depth of 2" or more (Sold as a pair)<br>Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)   |
| RTAWCA & RTACC3MA or RTACC4MA<br>OR<br>RTAWCA & RTAMC3MA/K   | USB Wall Battery Charger and USB/USB C Cable 9.8' or 14' in White<br>OR<br>USB Wall Battery Charger and USB/USB C Cable in Black   |
| RTAEC1MA (4')  | Battery Charger USB Extension Cable, White (Optional)  |
| MT03-0302-067002   | Automate <sup>®</sup> Solar Panel Battery Charger (Optional)   |

R-TEC Automation<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #      | Description  |
|-------------|--|
| RTAWR1CV1W  | LED Wall Mount Remote, 1 Channel, White                        |
| RTAWR2CV1W  | LED Wall Mount Remote, 2 Channel, White                        |
| RTAHRW6CV1W | Handheld Remote with Scroll Wheel Adjustment, 6 Channel, White |
| RTAHR6CV1W  | LED Handheld Remote with Wall Mount, 6 Channel, White          |
| RTAHR16CV1W | LCD Handheld Remote with Wall Mount, 16 Channel, White         |
| BD-1750     | Bond Bridge Pro Wi-Fi Hub, White                               |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.

Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).

Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

AUTOMATE<sup>®</sup> LI-ION MOTOR - MT01-1325-069028 - 25 MM - 0.7 NM  
(Max. Shade Size is 84" x 84")

| Item #   | Description  |
|--|--|
| RC58/XX and RTMDRK25114 and RWRC114<br>OR<br>RC60/XX and RTMDRK25112 and RWRC112 | 1 ¼" Aluminum Tube (Max. Shade Weight is 15 ½ lbs.), Drive Set Kit and Tube Clips (5 per pack) |
|  | 1 ½" Aluminum Tube (Max. Shade Weight is 13 lbs.) Drive Set Kit, and Tube Clips (5 per pack)   |
| RSNB10<br>OR<br>RSB10  | Brackets for Dustboard Depth of 2" or more (Sold as a pair)                                    |
|  | Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)                                  |
| MT03-0301-069008 & MT03-0301-069007  | USB Wall Battery Charger and 157" USB/Micro USB Cable  |
| MT03-0301-069013 (4')  | Battery Charger Micro USB Extension Cable (Optional)   |
| MT03-0302-067002   | Solar Panel Battery Charger (Optional)   |

### Automate<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.  
Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).  
Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

AUTOMATE<sup>®</sup> LI-ION MOTOR - MT01-1325-069029 - 25 MM - 1.1 NM  
(Max. Shade Size is 84" x 84")

| Item #   | Description  |
|--|--|
| RC58/XX and RTMDRK25114 and RWRC114<br>OR<br>RC60/XX and RTMDRK25112 and RWRC112 | 1 ¼" Aluminum Tube (Max. Shade Weight is 15 ½ lbs.), Drive Set Kit and Tube Clips (5 per pack) |
|  | 1 ½" Aluminum Tube (Max. Shade Weight is 13 lbs.) Drive Set Kit, and Tube Clips (5 per pack)   |
| RSNB10<br>OR<br>RSB10  | Brackets for Dustboard Depth of 2" or more (Sold as a pair)                                    |
|  | Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)                                  |
| MT03-0301-069008 & MT03-0301-069007  | USB Wall Battery Charger and 157" USB/Micro USB Cable  |
| MT03-0301-069013 (4')  | Battery Charger Micro USB Extension Cable (Optional)   |
| MT03-0302-067002   | Solar Panel Battery Charger (Optional)   |

### Automate<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.  
Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).  
Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

AUTOMATE<sup>®</sup> LI-ION MOTOR - MT01-1328-069008 - 28 MM - 2 NM

(Max. Shade Size is 120" x 120")

| Item #   | Description  |
|--|--|
| RC60/XX and RTMDRK28112 and RWRC112<br>OR<br>RC62/XX and RTMDRK28200 and RWRC200 | 1 ½" Aluminum Tube (Max. Shade Weight is 23 ½ lbs.), Drive Set Kit and Tube Clips (5 per pack)<br>2" Aluminum Tube (Max. Shade Weight is 17 ½ lbs.), Drive Set Kit and Tube Clips (5 per pack) |
| RSB10 or RSNB10 (for 1 ½" tube)<br>OR<br>RSB20 or RSNB20 (for 2" tube)           | Brackets for Dustboard Depth of 2" or more (Sold as a pair)<br>Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)   |
| MT03-0301-069008 & MT03-0301-069007  | USB Wall Battery Charger and 157" USB/Micro USB Cable  |
| MT03-0301-069013 (4')  | Battery Charger Micro USB Extension Cable (Optional)   |
| MT03-0302-067002   | Solar Panel Battery Charger (Optional)   |

Automate<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution. Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com). Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

AUTOMATE® LI-ION MOTOR - MT01-1335-069001 - 35 MM - 3 NM  
(Max. Shade Size is 120" x 120")

| Item #   | Description   |
|--|---|
| RC62/XX  | 2" Aluminum Tube (Max. Shade Weight is 26 ½ lbs.)             |
| RTMDRK35200  | 2" Drive Set Kit  |
| RWRC200  | 2" Tube Clips (5 per pack)                                    |
| RSB20 or RSNB20  | Brackets for Dustboard Depth of 2" or more (Sold as a pair)   |
| Covers optional if using RSB20: RSBC20/W,<br>RSBC20/K or RSBC20/SN | Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair) |
| MT03-0301-069008 & MT03-0301-069007                                | USB Wall Battery Charger and 157" USB/Micro USB Cable         |
| MT03-0301-069013 (4')  | Battery Charger Micro USB Extension Cable (Optional)          |
| MT03-0302-067002   | Solar Panel Battery Charger (Optional)                        |

### Automate® Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.  
Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).  
Explore the [Control & Integration Compatibility Chart](#).

# Component Combinations for Automated Roman Shades

AUTOMATE<sup>®</sup> DC MOTOR - MT01-1225-069002 - 25 MM - 1.1 NM

(Max. Shade Size is 84" x 84")

| Item #  | Description  |
|---|--|
| RC58/XX and RTMDRK25114 and RWRC114<br>OR<br>RC60/XX and RTMDRK25112 and RWRC112          | 1 ¼" Aluminum Tube (Max. Shade Weight is 15 ½ lbs.), Drive Set Kit and Tube Clips (5 per pack)<br>1 ½" Aluminum Tube (Max. Shade Weight is 13 lbs.), Drive Set Kit and Tube Clips (5 per Pack)   |
| RSNB10 or RSNB30 (based on power source)<br>OR<br>RSB10 or RSNB30 (based on power source) | Brackets for Dustboard Depth of 2" or more (Sold as a pair)<br>Brackets for this size Dustboard using an external battery tube or an external Li-ion battery pack – RSNB30 (Sold as a pair)<br>Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)<br>Brackets for this size Dustboard using an external battery tube or an external Li-ion battery pack – RSNB30 (Sold as a pair) |
| MTDCPS-18-25  | DC Power Supply 5' (Not needed if using Battery Tube or Battery Pack)  |
| MTDC-CBLXT48 (4')   | DC Power Supply Extension Cable (Optional)   |
| MTBWAND18-25  | Battery Tube (Uses 8 Li-ion AA batteries - not included)   |
| MT03-0305-069003  | Rechargeable Battery Pack (Requires MT03-0301-069008 or MT03-0302-067002)  |
| MT03-0301-069008 & MT03-0301-069007   | USB Wall Battery Charger and 157" USB/Micro USB Cable (Option if using Battery Pack)   |
| MT03-0302-067002  | Solar Panel Battery Charger (Option if using Battery Pack)   |

Automate<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.

Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).

Explore the [Control & Integration Compatibility Chart](#).



## Component Combinations for Automated Roman Shades

AUTOMATE<sup>®</sup> DC MOTOR - MT01-1228-069002 - 28 MM - 2 NM

(Max. Shade Size is 120" x 120")

| Item #  | Description  |
|---|--|
| RC60/XX and RTMDRK28112 and RWRC112<br>OR<br>RC62/XX and RTMDRK28200 and RWRC200  | 1 ½" Aluminum Tube (Max. Shade Weight is 23 ½ lbs.) and Drive Set Kit and Tube Clips (5 per pack)<br>2" Aluminum Tube (Max. Shade Weight is 17 ½ lbs.) and Drive Set Kit and Tube Clips (5 per pack)   |
| RSNB10 (for 1 ½" tube) or RSNB30 (based on power source)<br>OR<br>RSB20 (for 2" tube) or RSNB30 (based on power source) | Brackets for Dustboard Depth of 2" or more (Sold as a pair)<br>Brackets for this size Dustboard using an external Li-ion battery pack – RSNB30 (Sold as a pair)<br>Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair)<br>Brackets for this size Dustboard using an external Li-ion battery pack – RSNB30 (Sold as a pair) |
| MTDCPS-28-35-45   | DC Power Supply 10 ½' (Not needed if using Battery Pack MT03-0305-069003)  |
| MTDC-CBLXT48 (4')   | DC Power Supply Extension Cable (Optional)   |
| MT03-0305-069003  | Rechargeable Battery Pack (Requires MT03-0301-069008 or MT03-0302-067002)  |
| MT03-0301-069008 & MT03-0301-069007   | USB Wall Battery Charger and 157" USB/Micro USB Cable (Option if using Battery Pack)   |
| MT03-0302-067002  | Solar Panel Battery Charger (Option if using Battery Pack)   |

Automate<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.

Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).

Explore the [Control & Integration Compatibility Chart](#).

## Component Combinations for Automated Roman Shades

### AUTOMATE<sup>®</sup> DC MOTOR - MTDCRF35-3 - 35 MM - 3 NM

(Max. Shade Size is 120" x 120")

| Item #  | Description   |
|---|---|
| RC62/4, RC62/6, RC62/8, RC62/12, or RC62/16                     | 2" Aluminum Tube (Max. Shade Weight is 26 ½ lbs.)             |
| RTMDRK35200   | 2" Drive Set Kit  |
| RWRC200   | 2" Tube Clips (5 per pack)                                    |
| RSB20 or RSNB20   | Brackets for Dustboard Depth of 2" or more (Sold as a pair)   |
| Covers optional if using RSB20: RSBC20/W, RSBC20/K or RSBC20/SN | Brackets for Dustboard Depth of 2 ¼" or more (Sold as a pair) |
| MTDCPS-28-35-45   | DC Power Supply 10 ½'   |
| MTDC-CBLXT48 (4')   | DC Power Supply Extension Cable (Optional)                    |

### Automate<sup>®</sup> Control & Integration (Select at least one or any combination)

| Item #                               | Description   |
|--------------------------------------|---|
| MT02-0101-067010 or MT02-0101-050010 | Push1 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067004 or MT02-0101-050004 | Push5 Channel Handheld Remote with Wall Mount, White or Black     |
| MT02-0101-067008 or MT02-0101-050008 | Push15 Channel Handheld Remote with Wall Mount, White or Black    |
| MTRF-WS5-FLUSH                       | 5 Channel Surface Mount Wall Switch                               |
| MTRF-WS-1C                           | 1 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-2C                           | 2 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B  |
| MTRF-WS-15                           | 15 Channel 'Cut In' or J Box Mount Wall Switch, requires RTMSMB/B |
| RTMSMB/B                             | Surface Mount Wall Back Box for Cut-In Style Remotes              |
| MT02-0401-067001                     | Pulse 2 Hub, 2-Way RF   |
| MTRF-SUNSENS                         | Interior Sun Sensor (Optional)                                    |
| MT02-0401-069007                     | USB Signal Repeater (Optional)                                    |
| MT03-0301-069008                     | Wall Charger for USB Signal Repeater (Optional)                   |
| BD-1750                              | Bond Bridge Pro Wi-Fi Hub, White                                  |

\*Reference guide for ordering components, please use the [Custom Solutions Forms](#) when ordering a Custom Solution.

Contact our in-house experts at 866.985.3423. Email us at [RTECAutomation@RowleyCompany.com](mailto:RTECAutomation@RowleyCompany.com).

Explore the [Control & Integration Compatibility Chart](#).