



SMART HOME
COLLECTION

by BUDGET BLINDS®



DRAPERY DATABOOK

Smart Home Collection Slim Line Drapery Motor



[Smart Home Collection](#) is a convenient, comfortable, lifestyle solution that integrates smart technology solutions allowing you to conveniently control window treatments throughout the home.

The Smart Home Collection Hub and App integration allow window treatments to be controlled directly from a smartphone or integrated device while at home or away. As an alternative, remotes and wall switches allow for individual, group and all control for a customized solution with 5 or 15 channel options, or the PushPRO with smart home features.

TABLE OF CONTENTS

SHC Slim Line Drapery Motor General Info, Features & Specs	4 - 5
1 3/8" SHC Metal Traverse	
System Exploded View & Parts List	6 - 7
Product Specifications	8 - 10
Installation	11
Track Configurations	12
Custom Track Options	13
AriA® Metal Finishes	14
The Finial Company™ Metal Finishes	15
SHC Heavy Duty Traverse System	
System Exploded View & Parts List	16 - 17
Product Specifications	18 - 20
Installation	21
Track Configurations	21 - 22
Custom Track Options	23
SHC Heavy Duty Track Finishes	24
Finestra® Wood Hardware Finishes	24
The Finial Company™ Finishes	25
Smart Home Controls	26 - 27

SLIM LINE DRAPERY MOTOR

This document presents the technical information for our Smart Home Collection Slim Line Drapery Motor and related Smart Home Controls. It provides detailed information to facilitate the specification of this motor solution and presents information regarding options for designer applications, made possible by our brands of designer decorative hardware: AriA® Metal Hardware, The Finial Company™ or Finestra® Wood Hardware.


FEATURES



2-Way RF
Communication



Adjustable
Speed



Preferred
Open / Close
Limit Settings



Favorite
Position



Obstruction
Detection



Manual
Override



Quiet
Operation

MOTOR SPECS

Item #	Voltage	Torque	Max. Run Time	Amps	Open / Close speed	Sound Level
MT01-2101-069002	24 V DC	1.2 Nm	6 min.	1.5 A	14 cm/sec. (5.5 in/sec.)	~44 DB

MOTOR PERFORMANCE ON TRACKS


System	Max. Track Length	Min. System Length	Max. Drapery Weight
1 3/8" Metal Traverse (AriA® & The Finial Company™)	12' Continuous*; 24' Spliced	37"	77 lbs.
Heavy Duty Traverse (Finestra® Wood & The Finial Company™)	19' Continuous; 36' Spliced	37"	110 lbs.

*select finishes


BATTERY LIFE PER CHARGE

Battery life and lifespan will vary depending upon the size and weight of your window covering and how often you use it. Our Li-ion batteries are estimated to power 500 up/down cycles per charge. In optimal usage conditions (one up/down cycle per day), the battery charge should last between 12-18 months.

Note: Applying silicone spray may increase battery life per charge by as much as 50%.



APPLICATIONS



Pinch Pleat



Ripplefold



Narrow
Applications

POWER OPTIONS



Li-ion
Battery



110v AC / DC Power
Transformer 10' or 20'



Solar Panel
Battery Charger

SMART HOME CONTROLS



Handheld Remotes
Push5, Push15,
PushPRO, 15 ch



Surface Mount Wall
Switch 5 Channel



ARC USB Signal
Repeater & Charger



SHC App



SHC PulsePRO Hub
with HomeKit, 2-way
RF, Wi-Fi built in



Bond Bridge Pro Hub,
Wi-Fi built in


The Hub and Smart Home Collection App integration allow window treatments to be controlled directly from a smartphone or integrated device while at home or away. Available on the Apple® App Store or Google Play™.



1 3/8" METAL TRAVERSE

Aria®
Metal Hardware

THE
FINIAL
COMPANY™



AESTHETIC


- Easy to conceal behind drapery fabric.
- Electronic limit allows accurate preferred upper and lower settings.
- Favorite position allows one additional position between upper and lower limit settings.
- Motor starts and stops slowly and gently, maintaining the aesthetic of your drapery treatment.

FLEXIBLE



- Light touch start/stop function: Pulling the drapery gently triggers motor to run automatically.
- Versatile master carrier reduces friction & is adaptable to various drapery types.
- Adjustable drapery speed control.
- Compatible with Smart Home Controls on [pages 26 - 27](#).

EFFICIENT

- Manual override permits the drapery to be adjusted manually, making it ideal for power outages.
- Obstruction detection: If the drapery motion is obstructed while motor is running, the drapery motor stops automatically to prevent any damage.



POWER SOURCE OPTIONS



PARTS LIST


1. Slim Line Drapery Motor
2. Power Source:
 - a. Li-ion Battery (requires one of below):
 - Included: Wall Battery Charger and USB Charger Cable 13'
 - Optional: Solar Panel Battery Charger with L-Bracket Cables & Fastener
 - b. 110v AC / DC Power Transformer (select from below):
 - Included: 10' (with plug)
 - Optional: 20' (plug not included; sold separately)
3. Drive Belt
4. Drive Belt Clip
5. Pulleys (includes Drive Pulley & Return Pulley)
6. Pendants (on Return Pulley for center draw systems only):
 - a. Pinch Pleat
 - b. Ripplefold
7. Carriers:
 - a. Pinch Pleat
 - b. Ripplefold
 - 60% fullness
 - 80% fullness
 - 100% fullness
 - 120% fullness
8. Master Carrier Body
9. Master Carrier Arm(s):
 - a. Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw, Pair
 - b. Pinch Pleat Master Carrier Arm, One-Way Draw, Right or Left
 - c. Ripplefold Butt Master Carrier Arms, Center Draw, Pair
 - d. Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left
10. System Types in 6', 8' or 12'* Lengths (*in select finishes):
 - a. Single Wall 3 1/2" Projection
 - b. Single Wall 6" Projection
 - c. Double Wall 3" and 7 1/2" Projection
 - d. Single Ceiling 2 3/8" Drop
 - e. Double Ceiling 2 5/8" Drop
 - f. Single Low-Profile Ceiling 5/32" Drop
11. Plain End Caps included; 1 3/8" Finials sold separately.
12. Smart Home Controls: Custom Systems include a Push15 Channel Handheld Remote w/ Wall Mount. Additional control options on [pages 26 - 27](#).




1 3/8" METAL TRAVERSE PRODUCT SPECS

SLIM LINE DRAPERY MOTOR & POWER OPTION DIMENSIONS


Slim Line Drapery Motor with Li-ion Battery
MT01-2101-069002 with MT03-0305-069004




Solar Panel Battery Charger
MT03-0302-067002




Wall Battery Charger
MT03-0301-069008



USB Charger Cable
MT03-0301-069007




Slim Line Drapery Motor with 110v AC / DC Power Transformer
MT01-2101-069002 with MT03-0305-069005 10' (plug included)
or with MT03-0305-069006 20' (plug MTAC-FIELDPLUG not included)



PULLEY DIMENSIONS


Pulley Kit
RTFMH138PK/



SPLICE DIMENSIONS

AriA® Splice
FMH138407

The Finial Company™ Splice
TFCMT138407




MASTER CARRIER ARM DIMENSIONS

Pinch Pleat / Ripplefold Master Carrier Arms, Center Draw

AriA® RTFMH138CD The Finial Company™ RTTFC138CD

Quantity: 1 Overlap Arm & 1 Straight Arm per drapery track.


Sold as a pair.



Ripplefold Butt Master Carrier Arms, Center Draw

RTMDTCDB

Quantity: 2 per drapery track. Sold as a pair.




Pinch Pleat Master Carrier Arm, One-Way Draw

AriA® Right - RTFMH138PPOR or Left - RTFMH138PPO

The Finial Company™ Right - RTTFC138PPOR
or Left - RTTFC138PPO

Quantity: 1 per drapery track.




Ripplefold Butt Master Carrier Arm, One-Way Draw

AriA® Right - RTFMH138OBR or Left - RTFMH138OBL

The Finial Company™ Right - RTTFC138OBR
or Left - RTTFC138OBL

Quantity: 1 per drapery track.




CARRIER DIMENSIONS

Pinch Pleat Carrier

CP40

Quantity: 3 carriers per foot.



Ripplefold Carrier


Quantity: Depends on the desired fullness.

R4120/ - 120% fullness - 1 7/8" spacing: 7 carriers per foot.

R4100/ - 100% fullness - 2 1/8" spacing: 6 carriers per foot.


R4080/ - 80% fullness - 2 3/8" spacing: 5 carriers per foot.

R4060/ - 60% fullness - 2 5/8" spacing: 4 carriers per foot.



TRACK DIMENSIONS

SHC 1 3/8" Metal Track




1 3/8" METAL TRAVERSE PRODUCT SPECS

WALL BRACKET DIMENSIONS

Metal Wall Mount Bracket

AriA® FMH138400/


The Finial Company™ TFCM138400/



Metal Wall Mount Bracket

AriA® FMH138401/


The Finial Company™ TFCM138401/




Metal Double Wall Mount Bracket

AriA® FMH138402/

The Finial Company™ TFCM138402/



Metal Wall Mount Bracket
Mounting Plate




CEILING BRACKET DIMENSIONS

Metal Ceiling Bracket

AriA® FMH138403/


The Finial Company™ TFCM138403/



Metal Double Ceiling Bracket

AriA® FMH138404/


The Finial Company™ TFCM138404/



Metal Low Profile Ceiling Bracket

AriA® FMH138406/


The Finial Company™ TFCM138406/



1 3/8" METAL TRAVERSE INSTALLATION

BRACKET MOUNTING RECOMMENDATIONS

It's recommended to use 1 bracket beside each pulley and an adjacent bracket no more than 24" away. On the remaining part of the Metal Track, bracket-to-bracket distances should be no more than 48". Also, 1 bracket should be placed on each side of a splice if used.




INSTALLATION:

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and anchors) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Rowley, AriA® or The Finial Company™ will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

1 3/8" METAL TRAVERSE CONFIGURATIONS


RIPPLEFOLD CENTER DRAW



AriA® RTFMH138CD


The Finial Company™
RTTFC138CD

RIPPLEFOLD BUTT MASTER CENTER DRAW



RTMDTCDB


RIPPLEFOLD BUTT MASTER ONE-WAY DRAW



AriA®
Right - RTFMH138OBR
Left - RTFMH138OBL

The Finial Company™
Right - RTTFC138OBR
Left - RTTFC138OBL


PINCH PLEAT CENTER DRAW



AriA® RTFMH138CD

The Finial Company™
RTTFC138CD

PINCH PLEAT ONE-WAY DRAW



AriA®
Right - RTFMH138PPOR
Left - RTFMH138PPOL

The Finial Company™
Right - RTTFC138PPOR
Left - RTTFC138PPOL

*Motor can be mounted on either end of track for Center Draw Draperies.

1 ³/₈" METAL TRAVERSE CUSTOM OPTIONS

CUSTOM SOLUTIONS

- Save yourself valuable time, our in-house experts will fully assemble your Smart Home Collection Metal traverse system, custom cut to your exact specification. Ships in 10 - 15 business days.
- The system ships to you completely ready for your fabric to be attached.
- This custom solution includes Metal track(s), motor(s), power option(s), drive belt & clips, pulleys, pendants, carriers, brackets, master carriers, plain end caps and a SHC 15 channel handheld remote with wall mount. Decorative finials may be ordered separately.
- Lengths up to 12' continuous (select finishes) and 24' spliced; 4 ft. minimum; sold by the ft.
- Pinch Pleat or Ripplefold.
- Ceiling or Wall Mount.
- See [pages 26 - 27](#) for alternative remote options.
- Ships in 10 - 15 business days.
- For more information, contact Rowley sales and ask about Custom Solutions.

ARIA® 1 3/8" METAL TRAVERSE FINISHES

Aria®
Metal Hardware

ARIA® 1 3/8" METAL FINISHES



Polished Nickel
PN



Antique Pewter
AP



Iron Copper
IC



Antique Brass
AB



Brushed Bronze
BZ



Oil Rubbed Bronze
ORB



Satin Black
SK



Matte Black*
MK (coordinates with VZ & DRB finials)

- Maximum continuous track length in BZ and ORB is 8', all other finishes available up to 12'.
- Center draw tracks can be spliced for longer lengths up to 24'.
- Matte Black (MK) tracks and brackets coordinate with Venetian Bronze (VZ) and Dark Oil Rubbed Bronze (DRB) finials.

THE FINIAL COMPANY 1 3/8" METAL TRAVERSE FINISHES

THE FINIAL COMPANY™ 1 3/8" MODERN METAL FINISHES




Chrome
CH




Brushed Nickel
BN



Satin Gold
SG



Brushed Black Nickel
BBN



Matte Black
MK

- Maximum continuous track length in CH and SG is 8', all other finishes available up to 12'.
- Center draw tracks can be spliced for longer lengths up to 24'.

THE FINIAL COMPANY™ 1 3/8" METAL FINISHES



Polished Nickel
PN



Antique Pewter
AP



Antique Brass
AB



Brushed Bronze
BZ



Oil Rubbed Bronze
ORB



Satin Black
SK



Matte Black*
MK (coordinates with VZ & DRB finials)



VZ




DRB

- Maximum continuous track length in BZ and ORB is 8', all other finishes available up to 12'.
- Center draw tracks can be spliced for longer lengths up to 24'.
- Matte Black (MK) tracks and brackets coordinate with Venetian Bronze (VZ) and Dark Oil Rubbed Bronze (DRB) finials.

CUSTOM FINISHES

- Our 1 3/8" Smart Home Automated Metal Traverse is also available in any of our 50 beautifully hand painted standard finishes located on the back cover of the The Finial Company 2018 Drapery Hardware Catalog or your own custom finish; please see the The Finial Company retail price list for standard and custom finish surcharges.

SHC HEAVY DUTY TRAVERSE SYSTEM



AESTHETIC

- Easy to conceal behind drapery fabric.
- Electronic limit allows accurate preferred upper and lower settings.
- Favorite position allows one additional position between upper and lower limit settings.
- Motor starts and stops slowly and gently, maintaining the aesthetic of your drapery treatment.


FLEXIBLE

- Light touch start/stop function: Pulling the drapery gently triggers motor to run automatically.
- Versatile master carrier reduces friction & is adaptable to various drapery types.
- Adjustable drapery speed control.
- Compatible with Smart Home Controls on [pages 26 - 27](#).

EFFICIENT


- Manual override permits the drapery to be adjusted manually, making it ideal for power outages.
- Obstruction detection: If the drapery motion is obstructed while motor is running, the drapery motor stops automatically to prevent any damage.

*Tandem alternative option: see [page 23](#) for details.



THE
FINIAL
COMPANY™

POWER SOURCE OPTIONS



Li-ion Battery

includes Battery Charger & USB Charger Cable



Optional Solar Panel Battery Charger



110v AC / DC Power Transformer 10'

Optional 110v AC / DC Power Transformer 20'

PARTS LIST

1. Slim Line Drapery Motor
2. Power Source:
 - a. Li-ion Battery (requires one of below):
 - Included: Wall Battery Charger and USB Charger Cable 13'
 - Optional: Solar Panel Battery Charger with L-Bracket Cables & Fastener
 - b. 110v AC / DC Power Transformer (select from below):
 - Included: 10' (with plug)
 - Optional: 20' (plug not included; sold separately)
3. Drive Belt
4. Drive Belt Clip
5. Pulleys:
 - a. Drive Pulley
 - b. Return Pulley
6. SHC Heavy Duty Track in 8', 12', 16' or 19' Lengths
7. End Hook:
 - a. Pinch Pleat
 - b. Ripplefold
8. End Stop:
 - a. Pinch Pleat
 - b. Ripplefold
9. Carriers:
 - a. Pinch Pleat
 - b. Ripplefold
 - 60%, 80%, 100% or 120% fullness
10. Master Carrier Body
11. Master Carrier Arm(s):
 - a. Universal Master Carrier Arms, Center Draw, Pair
 - b. Universal Master Carrier Arm, One-Way Draw, Right or Left
 - c. Ripplefold Butt Master Carrier Arms, Center Draw, Pair
 - d. Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left
 - e. Universal Tandem Master Carrier Arms, Center Draw, Pair (see [page 23](#) for more details)
12. Brackets:
 - a. Single Wall 3 1/2" - 4 1/2" Proj.
 - b. Single or Double Wall 2 1/2" - 3 1/2" Rear Proj. 5 1/2" - 6 1/4" Front Proj.
 - c. Single or Double Wall 3 1/2" - 11" Proj.
 - d. Ceiling Mount Clip
13. Smart Home Controls: Custom Systems include a Push15 Channel Handheld Remote w/ Wall Mount. Additional control options on [pages 26 - 27](#).
14. Attach our Finestra® Wood Hardware or The Finial Company™ Fascias using our Fascia Mount Clips. Select coordinating Finials or Mitered Returns.




*Order your SHC Heavy Duty Traverse without fascia through The Finial Company™.


SHC HD TRAVERSE PRODUCT SPECS

SLIM LINE DRAPERY MOTOR & POWER OPTION DIMENSIONS


Slim Line Drapery Motor with Li-ion Battery
MT01-2101-069002 with MT03-0305-069004




Solar Panel Battery Charger
MT03-0302-067002




Wall Battery Charger
MT03-0301-069008



USB Charger Cable
MT03-0301-069007




Slim Line Drapery Motor with 110v AC / DC Power Transformer
MT01-2101-069002 with MT03-0305-069005 10' (plug included)
or with MT03-0305-069006 20' (plug MTAC-FIELDPLUG not included)



TRACK DIMENSIONS


SHC Heavy Duty Track



PULLEY DIMENSIONS


Drive Pulley
RTMDSS50DP

Quantity: 1 Drive Pulley & 1 Return Pulley for One-Way Draw;
2 Drive Pulleys for Center Draw.



Return Pulley
RTMDSS50RP

Quantity: 1 Drive Pulley & 1 Return Pulley for One-Way Draw.




Track Depth 5/8" Add to track length for assembly overall length.

MASTER CARRIER ARM DIMENSIONS

Universal Master Carrier Arms, Center Draw

RTMDTCD


Quantity: 1 Overlap Arm & 1 Straight Arm per drapery track. Sold as a pair.



Universal Master Carrier Arm, One-Way Draw

Right - RTMDTOR or Left - RTMDTOL


Quantity: 1 per drapery track.



Universal Tandem Master Carrier Arms, Center Draw (see page 23 for details)


RTMDTCDTAN

Quantity: 1 Overlap Arm & 1 Straight Arm per tandem system. Sold as a pair.



Ripplefold Butt Master Carrier Arm, One-Way Draw, Right or Left - RTMDTOB

Quantity: 1 per drapery track.




Ripplefold Butt Master Carrier Arms,

Center Draw

RTMDTCDB

Quantity: 2 per drapery track.

Sold as a pair.




CARRIER DIMENSIONS

Pinch Pleat Carrier

CP40

Quantity: 3 carriers per foot.



Ripplefold Carrier


Quantity: Depends on the desired fullness.

R4120/ - 120% fullness - 1 7/8" spacing: 7 carriers per foot.

R4100/ - 100% fullness - 2 1/8" spacing: 6 carriers per foot.

R4080/ - 80% fullness - 2 3/8" spacing: 5 carriers per foot.

R4060/ - 60% fullness - 2 5/8" spacing: 4 carriers per foot.




SHC HD TRAVERSE PRODUCT SPECS

WALL BRACKET DIMENSIONS


Single Wall Mount Bracket

TB035 *Ceiling clip not included




Single or Double Wall Mount Bracket

TB060 *Ceiling clips not included




Single or Double Wall Mount Bracket

TB100 *Ceiling clips not included



FASCIA CLIP DIMENSIONS


Fascia Mount Clip for SHC Heavy Duty Track RTMDTFC



CEILING BRACKET DIMENSIONS

Ceiling Mount Clip for SHC Heavy Duty Track


RTMDTBCM



SPLICE DIMENSIONS

Track Splice for SHC Heavy Duty Track


RTMDTS



SHC HD TRAVERSE INSTALLATION


BRACKET MOUNTING RECOMMENDATIONS

It's recommended to use 1 bracket beside each pulley. On the remaining part of the SHC Heavy Duty Track, bracket-to-bracket distances should be no more than 24". Also, 1 bracket should be placed on each side of a splice if used.




SHC HD TRAVERSE CONFIGURATIONS


PINCH PLEAT CENTER DRAW



PINCH PLEAT ONE-WAY DRAW




PINCH PLEAT TANDEM ALTERNATIVE WITH TWO MOTORS FOR LARGE DRAPERIES - SEE PAGE 23 FOR MORE DETAILS.




*Motor can be mounted on either end of track for Center Draw Draperies. Tandem Alternative requires two motors.

SHC HD TRAVERSE CONFIGURATIONS


RIPPLEFOLD CENTER DRAW




RIPPLEFOLD ONE-WAY DRAW




RIPPLEFOLD BUTT MASTER CENTER DRAW



RIPPLEFOLD BUTT MASTER ONE-WAY DRAW



RIPPLEFOLD TANDEM ALTERNATIVE WITH TWO MOTORS FOR LARGE DRAPERIES - SEE PAGE 23 FOR MORE DETAILS.



**Butt Master One-Way Draw Arms recommended for Ripplefold draperies using two motors; also available with Butt Master Center Draw Arms.

*Motor can be mounted on either end of track for Center Draw Draperies. Tandem Alternative requires two motors.

SHC HD TRAVERSE CUSTOM OPTIONS


TANDEM ALTERNATIVE

Tandem alternative ARC™ motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity. Available with Butt Master One-Way Draw Arms RTMDTOB (recommended for Ripplefold draperies), Butt Master Center Draw Arms RTMDTCDB (Ripplefold only) or Overlap Tandem Center Draw Arms RTMDTCDTAN (recommended for pinch pleat draperies). Please contact Rowley for details.



TOP MOUNT

Drapery motors can be installed above the drapery track based on your project. This option provides the ability to conceal the motor in a drop ceiling or under a valance. Our Drive Pulley gives you this option by using the motor cover on the bottom for a top mount.




Drive Pulley
RTMDSS50DP

CUSTOM SOLUTIONS


- Save yourself valuable time, our in-house experts will fully assemble your SHC Heavy Duty Traverse System, custom cut to your exact specification. Ships in 10 - 15 business days.
- The system ships to you completely ready for your fabric to be attached.
- This custom solution includes track(s), motor(s), power option(s), pulleys, brackets, master carriers, carriers, end hooks, end stops, drive belt & clips and a SHC 15 channel handheld remote with wall mount. Fascias included if ordering Finestra® Wood Hardware or The Finial Company™ with Fascia Traverse System. Order track only system through The Finial Company™. Finials sold separately.
- Lengths up to 19' continuous and 36' spliced; 4 ft. minimum; sold by the ft.
- Pinch Pleat or Ripplefold.
- Ceiling or Wall Mount.
- See [pages 26 - 27](#) for alternative remote options.
- Ships in 10 - 15 business days.
- For more information, contact Rowley sales and ask about Custom Solutions.

SHC HEAVY DUTY TRACK FINISHES

TRACK FINISHES



White




Bronze /BR


- Maximum continuous track length is 19'.
- Center draw tracks can be spliced for longer lengths up to 36'.

FINESTRA® WOOD SHC HEAVY DUTY TRAVERSE FINISHES

FINESTRA® WOOD HARDWARE QUICK SHIP FINISHES




Espresso ES



Mahogany MA



Walnut WA



Pecan PE



Antique White AW

- Maximum continuous fascia length is 12'.
- Center draw tracks can be spliced for longer lengths up to 36'.

THE FINIAL COMPANY™ SHC HEAVY DUTY TRAVERSE FINISHES

THE
FINIAL
COMPANY™

THE FINIAL COMPANY™ STANDARD HAND PAINTED FINISHES



Bronze 105




Gray with Gold 150



Gilded Red 600



Graphite 700




Antique Steel 129




Charred Toasted
Oak 800



Chalet Gray 870



Bronze with Gold 106




Antique 155




Cobalt Bronze 610




Tarnished Silver 710



Antique Steel w/Black
Highlights 129B



Sea Salt Black 820




Warm Walnut 890



Bronze with Gold
and Gray 107




Walnut Gold with
Gray Accents 200



Weathered Iron 620




Tawny Oak 720




Bronze with Black
330



White with Gold
Accents 840



Flat Black 109



Walnut 240



Ash Gray 630




Rose Gold 730



Statuary Bronze with
Gold 350G




Grayed Brass 860



Flat Black with
Gold 110



Platinum 250



Oil Rubbed Bronze
640



Smoky Mocha 740



Aged Gold 680




Parchment 880



Silver with Gold 112



Platinum w/Black
Highlights 250B



Hickory 650




Polished Gold 750




Champagne 690



Bronzed Ore 810




Walnut Gold 117




Mahogany Rust 270




Antique White 660




Rustic Iron 760



Hazelwood 780




Driftwood 830



Dark Walnut Gloss
with Gold 126




Pewter 320



Espresso 670



Bronze Patina 770



Vintage Bronze 790




Soft Brass 850

Photographs may not accurately represent the true color of a finish. A finish may show slight variation when painted on different materials, such as wood or steel. For best possible finish match, please refer to the actual sample chip.


SMART HOME CONTROLS

HANDHELD REMOTES WITH WALL MOUNTS


SHC Push5 Channel Remote
Range: 65'
MT02-0101-067016 (white)
MT02-0101-050016 (black)




SHC Push15 Channel Remote
Range: 65'
MT02-0101-067017 (white)
MT02-0101-050017 (black)



SHC PushPRO Channel Remote
Range: 65'
MT02-0101-067018 (white)
MT02-0101-050018 (black)




15 Channel Remote - Level Control
Range: 65'
MTRF-REM-15L (white)




WALL SWITCH

5 Channel Surface Mount Wall Switch
Range: 65'
MTRF-WS5-FLUSH (white)




SIGNAL REPEATER

ARC USB Signal Repeater
Extends the wireless range of the SHC Hub and Remotes up to 60'
Maximum 2 per system or network
MT02-0401-069007 (white, color may vary)



Wall Charger for USB Signal Repeater
MT03-0301-069008 (white, color may vary)






SMART HOME COLLECTION HUB & APP CAPABILITIES

The Smart Home Collection Hub and App integration allow window treatments to be controlled directly from a smartphone or integrated device while at home or away. Now available in the Apple® App Store or Google Play™, search for Rowley to find and download the new Smart Home Collection App.

SHC PulsePRO Hub with 2-Way RF | Range: 60'

The SHC Hub provides the heartbeat of the Smart Home Collection experience. With Wi-Fi built in, simply plug in where convenient and connect to the local network.

MT02-5401-050003 (black)



Our SHC App enables simple, intuitive control and system configuration from your smartphone or tablet. Compatible with SHC Hub.



COMPATIBLE SYSTEMS - NOT SOLD BY ROWLEY




Apple HomeKit

Simply set up the SHC Hub and App then instruct Siri to control your window treatments, with your voice, via a variety of Apple devices.

BOND BRIDGE PRO HUB & APP

Bond Bridge Pro Hub | Range: 3,500 sq. ft.

BD-1750 (white)



Smart Home Collection is a convenient, comfortable, lifestyle solution that integrates smart technology solutions allowing you to conveniently control window treatments throughout the home.

The Smart Home Collection Hub and App integration allow window treatments to be controlled directly from a smartphone or integrated device while at home or away. As an alternative, remotes and wall switches allow for individual, group and all control for a customized solution with 5 or 15 channel options.

Phone: 877.323.0058

Info: bit.ly/m/Rowley

E-Mail: budgetblinds@rowleycompany.com

230 Meek Road | Gastonia, NC 28056

Offices are open Monday - Friday 8:00AM - 6:00PM ET

Smart Home Collection Drapery Hardware Systems ship within 10 - 15 business days.



SMART HOME
COLLECTION
by BUDGET BLINDS®